

AUCTION

Thursday, September 15, 2005
Beginning at 10:30 AM EDT
104 Stoneridge Court
Greenwood, SC 29649



WEBCAST

Can't attend the auction in person?
Bid live on WWW.BIDITUP.COM



Equipment Available Due To The Consolidation Of

CAMBRIDGE METALS & PLASTICS

Greenwood, SC Location

World Class Robotic Welding Facility with State-of-the-Art ABB Welding Cells, Late Model Tube Benders, Presses, and Press Brake

- ▶ Dual Robotic Welding Cells
- ▶ Single Robotic Welding Cells
- ▶ OBI / Gap Frame Presses
- ▶ CNC Tube Benders
- ▶ CNC Hydraulic Press Brake
- ▶ Wheelabrator
- ▶ Coordinate Measuring Machine
- ▶ CNC Tool Room Mill
- ▶ Mig Welders
- ▶ Welding Positioners
- ▶ Vertical Mill
- ▶ Engine Lathe
- ▶ Surface Grinders
- ▶ Air Cleaning Equipment
- ▶ Busway Plugs / Bus Duct / Power Switches & Transformers
- ▶ Air Compressors
- ▶ Vertical Band Saws
- ▶ Fork Lift & Pallet Lift
- ▶ Pallet Racking W/ Roller Conveyor
- ▶ Office Equipment
- ▶ And Much More!

BIDITUP AUCTIONS & APPRAISALS WORLDWIDE
WWW.BIDITUP.COM

In Conjunction With Koster Industries, Inc.

SINGLE ROBOTIC WELDING CELLS, DUAL ROBOTIC WELDING CELLS, WELDERS/WELDING POSITIONERS/WELDING CLEANERS



2004

ABB 6-Axis Robotic Welder with Bull's Eye



ABB Robotic Control



2004

6 Available

ABB Welding Positioner



2004

ABB Robotic Welding Cell - IRBP500R Positioner




2004

ABB 6-Axis Robotic Welder with Abicor Binzel Torch Cleaning Station



2004

ABB Dual Robotic Welding Cell



2004

ABB Dual Robotic Welding Cell



2004

ABB Dual Robotic Welding Cell with ABB Welding Positioner & Controllers

SINGLE ROBOTIC WELDING CELLS

Yr 2004 - ABB Robotic Welding Cell; ABB 6-Axis Robotic Welder, Type IRB1400 M2000, S/N 14-26613, Reach 57"; Robot Payload 11 Lbs; Software Generation S4C+; ABB Control IF620mm, S/N 112-48-0642; Yr 2004 - ABB Welding Positioner, Type IRBP 500R, S/N 235-408-0014, Fixture Mount Size 38" x 60"; Dual Sided Positioner - Rotates and Flips, Max Workpiece Weight 500 Kg, Max Rotation Speed 25 RPM, Positioning Time 360 deg 3.1-3.4 seconds, Twin Station Solution - Simultaneous Weld & Unload; ABB Bull's Eye BE II Tool Center Point; Yr 2004 - Miller AutoInvision II Welder, Robot Receptacle; Yr 2004 - Abicor Binzel Torch Cleaning Station, S/N 19084; Cell Enclosure with Cedes Safe 4 Light Curtains

Yr 2004 - ABB Robotic Welding Cell; ABB 6-Axis Robotic Welder, Type IRB1400 M2000, S/N 14-26614; Software Generation S4C+; ABB Control IF620mm, S/N 112-48-0641; Yr 2004 - ABB Welding Positioner, Type IRBP 500R; ABB Bull's Eye BE II Tool Center Point; Yr 2004 - Miller AutoInvision II Welder, Robot Receptacle; Yr 2004 - Abicor Binzel Torch Cleaning Station; Cell Enclosure with Cedes Safe 4 Light Curtains

Yr 2001 - ABB Robotic Welding Cell; ABB 6-Axis Robotic Welder, Type IRB1400 M2000, S/N 14-20530; Software Generation S4C+; ABB Control IF 620mm; Yr 2004 - ABB Welding Positioner, Type IRB 500R, S/N 235-417-0016; ABB Bull's Eye BE II Tool Center Point; Yr 2004 - Miller AutoInvision II Welder, Robot Receptacle; Yr 2004 - Abicor Binzel Torch Cleaning Station; Cell Enclosure with Cedes Safe 4 Light Curtains, Exhaust Hood for Cell

Yr 2001 - ABB Robotic Welding Cell; ABB 6-Axis Robotic Welder, Type IRB1400 M2000, S/N 14-20529; Software Generation S4C+; ABB Control IF 620mm; Yr 2004 - ABB Welding Positioner, Type IRB 500R; ABB Bull's Eye BE II Tool Center Point; Yr 2004 - Miller AutoInvision II Welder, Robot Receptacle; Yr 2004 - Abicor Binzel Torch Cleaning Station; Cell Enclosure with Cedes Safe 4 Light Curtains, Exhaust Hood for Cell

Yr 1996 - Miller Robotic Welding Cell; Miller 6-Axis Robotic Welder, Mdl MR-2000; Teach Pendant - Mdl E6091, Version 02.0A, S/N Y2627000; Miller Auto Invision MIG Welder/ITW Welding Automation - Stock #043086, S/N KG199479; Miller Cooling Unit, Motorized Turntable - Diameter 60"; Toughgun Tregaskiss Welding Attachment, Cell Enclosure, Exhaust Hood for Cell

DUAL ROBOTIC WELDING CELLS

Yr 2004 - ABB Dual Robotic Welding Cell; (2) 6-Axis ABB Robotic Welders, Type IRB1400 M2000 - Type B, S/N 14-26770 & Yr 2001 - ABB Type IRB1400 M2000, S/N 14-20686; Software Generation S4C+; ABB Control IF 620mm, S/N 112-48-0641; Yr 2004 - ABB Welding Positioner, Type IRB 500R, S/N 235-417-0018; ABB Bull's Eye BE II Tool Center Point; Yr 2004 - (2) Miller AutoInvision II Welders, Robot Receptacle; (2) Yr 2004 - Abicor Binzel Torch Cleaning Stations, S/N #19290 & 19291; Cell Enclosure with Cedes Safe 4 Light Curtains, Exhaust Hood for Cell

Yr 2004 - ABB Dual Robotic Welding Cell; (2) 6-Axis ABB Robotic Welders, Type IRB1400 M2000 - Type B, S/N 14-26806 & Yr 2001 - ABB Type IRB1400 M2000, S/N 14-20687; Software Generation S4C+; ABB Control IF 620mm, S/N 112-416-0716; Yr 2004 - ABB Welding Positioner, Type IRB 500R, S/N 235-417-0018; ABB Bull's Eye BE II Tool Center Point; Yr 2004 & 2001 - (2) Miller AutoInvision II Welders, Robot Receptacle, S/N LE236381 & LB232623; Yr 2004 - Abicor Binzel Torch Cleaning Station, S/N 19158; Cell Enclosure with Cedes Safe 4 Light Curtains, Exhaust Hood for Cell

Yr 1996 - Miller Dual Robotic Welding Cell, (2) Robots Mdl MR-2000, 6-Axis; Teach Pendant, Robotic Control - Stock #043086, S/N KH430387; EZ Screen Banner Point Control, Teach Pendant; Two Section Bettinelli Rotating Table, Type TR315, (2) Tables 30" x 60" each, S/N 1M061; (2) Miller Deltaweld 452 MIG Welders, Millermatic Wire Feed, Miller Robotic Interface Controller, Miller Auto Invision II, Millermatic Wire Feed, Welding Chiller Units, S/N KH484517; Cell Enclosure, Exhaust Hood for Cell

WELDERS/WELDING POSITIONERS/WELDING CLEANERS

(6) Yr 2004 - ABB Welding Positioners, Type IRBP 500R, Fixture Mount Size 38" x 60" each Side, Dual Sided Positioner - Rotates and Flips, Max Workpiece Weight 500 Kg, Max Rotation Speed 25 RPM, Positioning Time for 360 deg is 3.1 - 3.4 seconds, Twin Station Solution - Simultaneous Weld & Unload, S/N 235-408-0014, 235-417-0016, 235-417-0017, 235-417-0018, n/a

TO SCHEDULE AN AUCTION OR APPRAISAL, CALL 818.508.7034

WELDERS/WELDING POSITIONERS/WELDING CLEANERS, OPEN BACK GAP & INCLINABLE PRESSES, CNC TUBE BENDERS, CNC HYDRAULIC PRESS BRAKE



2004 & 2001

2 Available

ABB Dual Robotic Welding Cell



2004 & 2001

ABB Dual Robotic Welding Cell with Yr 2004 - ABB Positioner



Welding Cell Enclosure with Exhaust Hood



2004

8 Available

Abicor Binzel Torch Cleaning Station



2004 & 2001

11 Available

Miller AutoInvision II Welder with Robot Interface



Miller Dual Robotic Cell



WELDERS/WELDING POSITIONERS/WELDING CLEANERS (CONTINUED...)

(8) Yr 2004 - Abicor Binzel Torch Cleaning Stations, Identification #831.0490, TCS-PP Reamer, Cutter, Injector Assembly, S/N 19084, 19158, 19290, 19291, n/a

(11) Yr 2004 & 2001 - Miller AutoInvision II Welders, Stock #903865, Robot Receptacle, S/N LB232623, LB251751, LE236381, n/a

(40) Yr 1999 - Lincoln CV-300 Mig Welders, Rated Output 300 Amp, Wire Feed, LN-10 Control, S/N U1990319150, 167, 177

Thermal Dynamic Pak Master 50XL Plasma Cutter

(2) Lincoln Square Wave Tig Welders

Miller Coolmate 4 Cooling Unit

Thermco Argon Gas Mixing Unit - Argon, CO₂, Oxygen

(20) Wire Spools for Mig Welders: Hyundai, Esab

Huge Inventory of Welding Tips, Welding Supplies

(2) Yr 1999 - Preston-Easton Weld Positioners, Mdl RFT30EW, Capacity 600#, S/N RFT30FW-15

Two Section Bettinelli Rotating Table, Type TR315, (2) Tables 30" x 60" Each

OPEN BACK GAP & INCLINABLE PRESSES

125 Ton Federal, Mdl F10, Stroke 6", Strokes per Minute 45, Single Back Geared, Bed 28" x 40", Flanged Ram, Shut Height 19.5", Slide Adjustment 3", Bolster Plate 4" Thick, Air Cushion, Air Clutch & Brake, S/N 10-172

Yr 1999 - 121 Ton Komatsu Gap, Mdl OBS 110S-VS-3, Stroke 5.91", Strokes per Minute 32-65 Variable, T-slotted Slide 21.65" x 23.62", T-slotted Bolster Plate 27.56" x 43.31" x 5.91" Thick, Die Height (Bolster to Slide - SDAU) 15", Power Adjustment 3.94", Pneumatic Wet Clutch & Brake, Air Counterbalances, Auto Recirculating Lube System, S/N D0148

Yr 1999 - 75 Ton Minster, Mdl 7-SS, Stroke 5", Strokes per Minute 90, Flywheel Press, Bed 24" x 36", Flanged Ram 17" x 30", Shut Height 20 1/2", Power Adjustment 3 1/2", T-slotted Bolster Plate 3 1/2" Thick, Air Cushion, Air Clutch & Brake, Air Counterbalance, Auto Recirculating Lube System, S/N 29744

(3) Yr 1999 - 45 Ton Minster, Mdl 5-SS, Stroke 3", Strokes per Minute 90, Flywheel Presses, Bed 18" x 28", Flanged Ram 14" x 24", Shut Height 15 3/4", Adjustment 2 1/2", T-slotted Bolster Plate 3 1/2" Thick, Air Clutch & Brake, Auto Recirculating Lube System, S/N 29741, 29742 & 29743 - (S/N 29742 has 1,676 Hours on Meter)

40 Ton Rousselle, Mdl 4, Stroke 3", Strokes per Minute 105, Flywheel Press, Bed 16" x 26", Slide 8 1/2" x 12", Shut Height 11 3/4", Adjustment 3", Bolster Plate 1 3/4" Thick, Air Clutch & Brake, Triad Control #3200, S/N 10168

CNC TUBE BENDERS

Yr 1998 - 1" Eagle/Eaton Leonard Vector Bend, Mdl VB100 HP LH, Wall Thickness .120" Max, Motorized Carriage, Centerline Radius 6", Max Tube Length 84" Over Mandrel, Mandrel Extractor, Head Shift, Premier CNC Multi-Axis Control - Vectorbend: C-Axis (Degree of Bend), B-Axis (Plane of Bend), Y-Axis (Distance Between Bends), S/N VB100HPLH224003 IPC 11 98

Yr 1993 - 1" Eagle/Eaton Leonard, Mdl VB100 HPR, Wall Thickness .120" Max, Motorized Carriage, Centerline Radius 6", Max Tube Length 94" Over Mandrel, Mandrel Extractor, Premier CNC Multi Axis Control - Vectorbend: C-Axis (Degree of Bend), B-Axis (Plane of Bend), Y-Axis (Distance Between Bends), S/N VB100 HPR091 IPC 0293

Collection of Tube Bending Dies & Mandrel Holders

CNC HYDRAULIC PRESS BRAKE

Yr 1998 - 100 Ton Wysong CNC 2-Axis Hydraulic Brake, Mdl THS100-120, Bed & Ram O/A Length 10", Between Housings 8' 6", Stroke 8" Max, Power Adjustment 9", Max Daylight 17" SDAU, Serial #TH1-127, Ram Tilt, Sectional Ram Clamps, Riser Block, Hurco Autobend 7 CNC Gage, Pre Programs Bends and Angles, S/N HEBA9021039B

Assortment Of Press Brake Dies

**BLAST CLEANING, INSPECTION EQUIPMENT, TOOL ROOM, ROBOT PARTS,
AIR CLEANING EQUIPMENT, ELECTRICAL SUPPLIES**



2004

40 Available

Lincoln CV 300 Welders with LN-10 Wire Feed



1999

121 Ton Komatsu Gap Frame Press



1998

Eagle - Eaton Leonard CNC Tube Bender



1993

Eagle - Eaton Leonard CNC Tube Bender / Max Tube Length 94"



1999

75 Ton Minster Gap Press



1998

CNC

100 Ton Wysong Hydraulic Press Brake



1999

3 Available

45 Ton Minster Gap Presses



1999

US Filter - BCP Wheelabrator

BLAST CLEANING

Yr 1999 - US Filter / BCP Wheelabrator, Mdl A3006974 Wheel Type - Ea 15 HP, Wire Mesh Belt - Width 24 1/2", Chamber Width 30 1/4", Pass Height 48", Opening Height 24", Elevator, RS Logix 500 Control, Abrasive Hours Meter 4,971 Hours; Dust Collector - 2,500 CFM @ 8" SP, 5 HP, USF Customer Order 14626, Drawing 99D1847

INSPECTION EQUIPMENT

Yr 1999 - Brown & Sharpe Xcel Coordinate Measuring Machine, Mdl 9159 5P, Measuring Range 35.43" x 59.06" x Height 33.46", Probe Pattern 31.49" x 62.99", Renishaw PH10MQ TP2 Probe, Air Cooling Unit, HCUI Control, Dell PC, Monitor & HP Printer, Windows 2000 Professional, S/N 0499-2425

Tru-Stone Corp Granite Plate, Grade A, Size 48" x 72" x 8" Thick, S/N 33352

TOOL ROOM

Yr 2003 - Haas CNC Tool Room Mill, Mdl TM-1, Travels: X-30", Y-12", Z-16", RPM 40-4000, 40 Taper, 7.5 HP, Rigid Tapping, Spindle Nose to Table 4" - 20", T-slotted Table 10 1/2" x 47 3/4", Feed Rates X, Y & Z: 200 IPM, Coolant Pump, Serial Port & 3.5" Disk Drive, S/N 31302

Bridgeport Vertical Mill, Table 9" x 42", Power Feed, 1.5 HP, Sony Millman 2-Axis DRO, S/N BR142297

Yr 1991 - Willis Microcut Engine Lathe, Mdl 1440, Swing Over Bed 14 1/4", Swing In Gap 22", Center Distance 40", Thru Hole 1 3/4", Inches/Metric, 8" Diameter 3-Jaw Chuck, Steady Rest, Tail Stock, TPI 4-72, Longitudinal Feeds .0012 - .016 in/rev, Spindle Speeds 220-2000, 2-Axis DRO, Serial #7955

Yr 2000 - Proth Hydraulic Surface Grinder, Mdl PSGS-3060BH, Max Travels 13.3" x 27.5", Spindle Center Height to Table 23.6", Hydraulic Table Speed 40-1000 IPM, Electromagnetic Chuck 12" x 24", Coolant, S/N 00036-04

(2) Bosch Power Drills

14" Circular Saw

Milwaukee Saws All

Milwaukee Band Saw

Roll-In Vertical Band Saw

Clausing #15 Drill Press, Mdl 1765, S/N 15-535883

25 Ton Dake H-Frame Press, Mdl 25H, S/N 202433

Jet 6" Belt Grinder, Kalamazoo Grinder

Quantum 1/2 Ton Hoist

Northern Pipe Threading Machine

Sanford Surface Grinder, Walker Electromagnetic Chuck 6" x 12", S/N 10783158

ROBOT PARTS

New In Box - ABB Robotic Teach Pendant

(3) Miller Robotic Setup Pendants

AIR CLEANING EQUIPMENT

(8) Yr 2004 & 2001 - Air Quality Engineering Air Cleaners, Mdl AQE4000, Four Media Filters, Dwyer Mark II Water Indicator, S/N 0218F0626A, 0218F0643A, 0219F0649A & 0219F0652A

(8) Boxes New Filters

Misc Cleaned Filters

ELECTRICAL SUPPLIES

(80) GE Spectra Series Busway Plugs, Disconnect for Power Feed, 220 Volt & 440 Volt

Electrical Bus Duct - 80 Ft Length

Siemens Power Switches, Max 600 Volt

Sylvania Lighting

TO SCHEDULE AN AUCTION OR APPRAISAL, CALL 818.508.7034

AIR COMPRESSORS/DRYERS, FORKLIFT/PLATFORM LIFT/CREW CAB TRUCK, PALLET RACKING WITH ROLLER CONVEYORS, POWER TOOLS & MUCH MORE!



1999

Brown & Sharpe Xcel CMM



2003

CNC

Haas CNC Tool Room Mill



1991

Willis Microcut Engine Lathe



Roll-In Vertical Band Saw



25 Ton Dake H-Frame Press

AIR COMPRESSORS/DRYERS

Yr 1996 - 75 HP Gardner Denver, Mdl EBMQLE, ID BAGAACC, Auto Sentry ES Control, S/N U69729

Yr 1996 - 25 HP Gardner Denver, Mdl EBEQFH, ID BBBAAAF, Auto Sentry S Control, Hours 4,743, S/N U72724

Dominick Hunter Eco Smart Dryer, Mdl RDM 0485

Dominick Hunter Mdl ES40 Oil/Water Separator

Arrow Pneumatic Dryer

FORKLIFT/PLATFORM LIFT/CREW CAB TRUCK

Yr 1991 - 4,000 LB Caterpillar 4,000# Electric Lift, Mdl FC40, Max Lift 154", S/N 5FB02832

JLG Electric Platform Lift, Mdl 2033E, Platform 26" x 96", Capacity 250-750 Lbs

Exide System 3000 Battery Charger

Hobarth Accu Charger

Yr 1999 - Ford Crew Cab Truck, Extended Cab, Automatic XLT Package, 110,000 Miles, VIN 1FTRX17WXXNB02874

Advance Power Sweeper

PALLET RACKING WITH ROLLER CONVEYORS

Pallet Racking w/Roller Conveyor - 19 Sections: Roller Conveyor Width 50" x Length 8', Each of 19 Sections is 4 Shelves High

POWER TOOLS & MISC. SHOP SUPPLIES

Tube Bending Dies, Die Springs, Microscope; Power Grinders; Belton Metal Self Dumping Hopper; Steel Shelves 36" Deep x 96" Wide x 54" High; Tool Chests, Work Tables, Work Benches, (120) Employee Lockers; Craftsman 42" Automatic Riding Mower, 5 HP - 12 Gallon Shop Vac; New In Box - Altivar 31 Adjustable Speed Drive Control, .37 KW / .5 HP; Drafting Table; Mettler Toledo Digital Scale; (3) Werner Ladders, Employee Storage Lockers; Bliss Consolidated #2 OBI Press, Mechanical Clutch; 11 Round Tables; 50 Chairs; (2) Whirlpool Microwaves; (15) Fans: 40" Diameter Circular Floor Standing & Ceiling Hung

OFFICE

Sharp AR-200 Copier, Ricoh/Aficio 1035P Copier, Forms Pro 4503 Printer, 2 Shredders, Zebra 4000 Label Machine, Ibico Laminator, Screen Projector, HP Spanjet 42C Flatbed Scanner, Magnavox Television, 10' Conference Table, Office Desks, File Cabinets, Office Chairs, Bookcases, Dell Poweredge 1600SC Server, Dell Optiplex GX270 Minitower, Dell Latitude D600 Laptop, Dell Latitude D505 Laptop, (9) Dell Computers with Monitor & Keyboard, (2) Micron CPU's, (2) Micron Monitors, HP 1100 Inkjet Printer



40 Ton Rousselle OBI Press



2000

Proth Hydraulic Surface Grinder



Sanford Surface Grinder



1997

Bettinelli Rotating Positioner Table



Northern Pipe Threading Machine



Air Quality Eng Air Cleaning Units (8 Available)

8 Available



GE Spectra Series Busway Plugs



75 HP Gardner Denver Air Compressor



25 HP Gardner Denver Air Compressor - 4,743 Hours



Arrow & DH Pneumatic Dryers, DH Oil-Water Separator



4,000 Lb Caterpillar Electric Lift Truck



Ford Crew Cab Truck - Automatic XLT



Advance Floor Sweeper

FEATURED AUCTION

Equipment Available Due To The Consolidation Of
CAMBRIDGE METALS & PLASTICS
 Greenwood, SC Location
World Class Robotic Welding Facility
 Thursday, September 15, 2005
 Greenwood, SC 29649, USA



AUCTIONS & APPRAISALS WORLDWIDE

11426 Ventura Blvd
 Second Floor
 Studio City, CA 91604
 Phone - 818.508.7034
 Fax - 818.508.3025
 info@biditup.com

UPCOMING AUCTIONS

8/30	MANUFACTURER OF PRINTED CIRCUIT BOARDS <i>Tempe, AZ</i>
9/15	Complete Late MDL CNC Amada Fabrication Facility <i>Albuquerque, NM</i>
9/20	MANUFACTURER OF ALUMINUM DIES <i>Murrysville, PA</i>
9/22	USED AND REBUILT AUTO PARTS & COMPONENTS <i>Santa Ana, CA</i>
10/18	MAJOR MACHINERY DEALER TOTAL LIQUIDATION <i>Fort Smith, AR</i>

**For More Information,
 Call 818.508.7034 Or Visit WWW.BIDITUP.COM**

Koster Industries - Firm License S.C. 0020072F
 Brian Holland - Auctioneer License S.C. 003889R
 Randy Koster - Auctioneer License S.C. 002098R



LIVE ON-SITE & WEBCAST AUCTION

Equipment Available Due To The Consolidation Of

CAMBRIDGE METALS & PLASTICS

Greenwood, SC Location

AUCTION

Thursday, September 15, 2005
 Beginning at 10:30 AM EDT

PREVIEW

Wednesday, September 14, 2005
 9:00 AM to 4:00 PM EDT

LOCATION

104 Stoneridge Court,
 Greenwood, SC 29649

DIRECTIONS

From **Greenville/Spartanburg Airport**, follow I-85 South (towards Greenville). Take Exit #46 (for Exit #46A, 46B & 46C) for SC-291/Mauldin Rd/Pleasantburg Dr/Augusta Rd. From the Exit #46 lane, follow Exit #46A for SC-291 S / Augusta Rd (on the left). Merge onto SC-291 S - after 2.5 miles, SC-291 S becomes US-25 S. Travel 36.5 miles on US-25 to Hwy SC-254. Make slight left onto Hwy SC-254 and travel 4.5 miles to Deadfall Rd. Turn left onto Deadfall Rd and travel 2.2 miles to Airport Rd. Turn left onto Airport Rd and travel .3 mile to Airport Industrial Rd. Watch for Auction Signs. Turn right onto Airport Industrial Rd and travel .2 mile to Stoneridge Ct. Turn right onto Stoneridge Ct to the plant entrance.

From **Columbia Metropolitan Airport**, follow I-26 West for approx 53 miles to Hwy SC-72 Exit (Towards Clinton). Turn left onto Hwy SC-72 and travel 24 miles to Hwy SC-246. Turn right onto Hwy SC-246 and travel .6 mile to Bucklevel RD / SC-5-24-271. Travel 2.5 miles to Airport Industrial Rd. Watch for Auction Signs. Turn left onto Airport Industrial Rd and travel .4 mile to Stoneridge Ct. Turn left onto Stoneridge Ct to the plant entrance.

TERMS & CONDITIONS

Sale Conducted by: BIDITUP, Subject to our customary terms of sale, (Available at the auction site on the day of the sale), and any and all amendments and modifications announced by the auctioneer at the time of the auction. The auctioneer and seller make no warranties or guarantees, expressed or implied, as to the defects in or the correctness or accuracy of the descriptions in any advertising of any item(s) being auctioned and will not be responsible for any advertising discrepancies or inaccuracies of any kind. All items sold will be on an "AS IS", "WHERE IS", and "WITH ALL FAULTS"; basis "WITHOUT EXCEPTION" and "WITH REMOVAL AT BUYER'S RISK AND EXPENSE". AUCTIONEER AND SELLER MAKE NO WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED AS TO THE NATURE, QUALITY, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONED OR ITS (THEIR) SUITABILITY FOR ANY USE. AUCTIONEER AND SELLER EXPRESSLY AND SPECIFICALLY DISCLAIM WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES. It shall be the buyer's obligation to verify information and descriptions of property prior to sale. BIDITUP, and its advertising agency assume no liability for errors or omissions in this brochure. The auctioneer does not warrant the age, accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein. Although it is not likely, auction sales are subject to cancellation or postponement, and sometimes items are withdrawn from the sale, kindly contact BIDITUP, prior to travel as there will be no reimbursements. On the day of the sale, all successful bidders must immediately pay the full purchase price in cash, certified funds, cashiers check, wire transfer or company check with a letter from the buyer's bank guaranteeing unqualified payments to BIDITUP. This letter is valid until 30 working days after the auction sale. Company checks without letter from bank guaranteeing unqualified payment will not be accepted. The failure to make payment promptly shall be considered default and each lot or lots so purchased will be placed for resale. The buyer must pay the total invoice price for all the lots purchased before any removal can begin. All buyers must pay applicable sales tax (unless evidence of exemption is provided to auctioneer's satisfaction). Buyers are responsible for the transportation, associated costs and risks involved in the removal of purchased item(s). Certain items may contain residual chemicals and/or hazardous materials. The purchaser(s) hereby indemnify and hold harmless the auctioneer and seller from any and all damages, claims or liability from any injuries to persons or property of any type whatsoever caused during the sale of, during the removal, or during use or operation of the purchased item(s). If you are unable to attend, please contact us regarding placing a proxy bid. PLEASE NOTE: ALL SALES ARE SUBJECT TO A BUYER'S PREMIUM.

LODGING

Hampton Inn Greenwood
 1624 Bypass 72 Northeast
 Greenwood, SC 29649
 864.388.9595

Fairfield Inn & Suites Greenwood
 527 Bypass 72 Northwest
 Greenwood, SC 29649
 800.228.2800

Holiday Inn Express Hotel & Suites
 1701 W Baseline Rd
 110 Birchtree Drive
 864.223.2296

WEBCAST

Can't attend the auction in person? You can participate and bid in real time via the Internet. Preview assets with detailed digital photos, lot catalogs, and in-depth descriptions.

For more information, visit WWW.BIDITUP.COM.

Please note, all webcast participants must submit a 25% deposit and signed registration forms no later than 24 hours before a sale.

